

LED BALLOON LIGHT

360° OMNI ILLUMINATION

160
lm/w

9600LM~38400LM

50% - 100% Dimming



- IP54
- Easy Setup
- Dimmable
- Rapid Heat Dissipation
- No Glare
- Portable
- 360° Illumination
- Diffused Light

ACCESSORIES



SPECIFICATIONS

Lamp	Model	HV-BL-60W-B		HV-BL-150W-B	HV-BL-240W-B
	Power	60W		150W	240W
	Voltage	AC100-277V			
	Frequency	50/60Hz			
	PF	≥0.95			
	Cable length	5 meters			
	LED Chips	Lumileds			
	Lumen	9600lm	24000lm	38400lm	
	CRI	≥70Ra			
	CCT	5000K			
	Inflated Dimension	520x350mm			
	Lamp Weight	3.9kg	4.1kg	4.3kg	
Tripod	Height(min-max)	1050-2000mm			
	Net Weight	4.5kg			
	Collapsed Height	1050mm			
	Collapsed width	110mm			

FEATURES

- ◆ 60W~240W Dimmable.
- ◆ Foldable tripod and cover; Lightweight; Portable; Easy quick setup.
- ◆ Glare-free; Diffused light; 360° illumination; Dimmable.
- ◆ Weather resistance; Life span > 50,000hrs; Low maintenance.
- ◆ Balloon material: Waterproof, translucent, anti-UV, flame-retardant.
- ◆ Filtration device: Prevent mosquitoes, dust, and other dirt from entering the lamp.


GROUND COVERAGE OF ILLUMINATION

POLAR DIAGRAM (LIGHT ON TRIPOD AT 2M)


LED LUMEN UP TO **9600lm**, **24000lm**, **38400lm**



DIMENSIONS



BRIGHTNESS ADJUSTMENT



Dimming
50%

Dimming
100%

2 Gears Lighting
50%-100%

APPLICATION

