

LED Balloon/Tower Light

360° OMNI ILLUMINATION



IP54



Easy Setup



Dimmable



Rapid Heat
Dissipation



No Glare



RGB Adjustable



360°illumination



Diffused Light


ACCESSORIES



Safety pin



Dimming



Remote control



SPECIFICATIONS

Model	HV-BL-100W-RGBW	HV-BL-200W-RGBW
Power	100W	200W
Lumen	14000lm	28000lm
Color temperature	RGB+4000K	
Voltage	AC 100-240V	
Frequency	50/60Hz	
Protection Rating	IP54	
Inflated Dimension	100cm(3.28 ft)	130cm(4.27 ft)
Control	Wireless Remote + Physical Button	
Dimming	Supported	
Lifetime	50,000+ Hours	
Warranty	5 Years	



Foldable Design
Quick setup and
easy to transport



Wireless Remote
Convenient control
from a distance



RGB
Full color with
warm & cool whites



360° Illumination
Even, softlight
in every direction


PRODUCT FEATURES

- ◆ WHITE/COLOR LED, REMOTE & DMX CONTROL; RGB/RGBW/CCT OPTIONS, 100W~200W, CUSTOMIZABLE SHAPE, GRAPHICS AND LOGO
- ◆ FOLDABLE TRIPOD, LIGHTWEIGHT, PORTABLE WITH RAPID SETUP
- ◆ 360° GLARE-FREE DIFFUSED SOFT LIGHT, DIMMABLE, EQUIPPED WITH POWER SWITCH
- ◆ WATERPROOF, TRANSLUCENT, ANTI-UV & FLAME-RETARDANT BALLOON; BUILT-IN FILTER AGAINST DUST AND MOSQUITOES
- ◆ OPTIONAL IP54 WEATHERPROOF RATING FOR OUTDOOR APPLICATION
- ◆ 50,000+ HOURS LIFESPAN, LOW MAINTENANCE


APPLICATIONS

- ◆ PERFECT FOR FILM SHOOTING, STUDIO PHOTOGRAPHY, WEDDINGS, PARTIES, LIVE SHOWS AND VARIOUS INDOOR & OUTDOOR EVENTS.

REMOTE CONTROL



- Touch the color ring to change colors.
- Under white light mode, adjust color temperature; Under color light mode, change color saturation.
- Slide the brightness slider to adjust the brightness.
- Press the button to get white light.
- Touch ON button, turn on the linked device.
- Touch OFF button, turn off the linked device.
- Static red light.
- Static blue light.
- Static green light.
- Dynamic mode switching button.
- Accelerate the speed under present dynamic mode. Under static mode, Long press for 2 seconds, the light shine once, the light will be off after 10 minutes.
- Slow the speed under present dynamic mode. Under static mode, long press for 2 seconds, the light shine once, the light will be off after 60 seconds.



MULTIPLE ADAPTERS



MULTIPLE MODES
CCT ADJUSTABLE

DIMENSIONS



APPLICATION

